



# L.E.E.D. - MRP-Support Data

**DATE:** Wednesday, October 30, 2013

**SUBJECT:** MRP-Support Data – SOLAR REFLECTANCE INDEX (SRI)

The information below shows the **LEED®** SRI for those Metro colors that meet the required SRI of 29. The SRI for each color was created using the ORNL developed web based SRI calculator which can be found at;

<http://www.ornl.gov/sci/roofs+walls/calculators/sreflect/index.htm>

METRO COLOR	Initial Solar Reflectance (ISR)	Emittance (EMIT)	Solar Reflectance Index (SRI)
Pearl White-ES*	0.39	0.90	<b>43.9</b>
Aspen-ES*	0.31	0.88	<b>32.5</b>

- *ORNL-SRI Calculator used the following parameters –*
  - o *State of CALIFORNIA*
  - o *City of LOS ANGELES*
  
- *All colors noted above are covered under Metro's California CRRC program*

*\*= Energy Star 'APPROVED' Metro colors*

*ORNL = Oak Ridge National Laboratory, Oak Ridge TN*

Metro Roof Products  
3093 'A' Industry Street  
Oceanside CA 92054

Toll Free:  
(866) METRO-4U  
PH: (760) 435-9842  
Order **FX: (760) 435-1162**  
General FX: (760) 435-9412

[www.metroroofs.com](http://www.metroroofs.com)